




DIMENSIONS



ORBITAL SANDERS	L		H	
	in	mm	in	mm
CP3510	6.29	160	4.13	105
CP3511	6.29	160	4.13	105
CP3512	8.3	211	4.13	105
CP3514	7.87	200	4.13	105
CP7215/25/55 - (NV)-E	7.28	185	4.13	105
CP7215CV/25CV/55CV -E	8.70	221	4.13	105
CP7215SV/25SV/55SV -E	9.13	232	4.13	105
CP7215H/55H-E	11.22	285	3.78	96
CP7215HCVE/55HCVE	11.22	285	3.78	96
CP7220/50E	5.0	127	3.7	95
CP7220/50SVE	7.3	186	3.26	83
CP7220/50CVE	7.3	186	3.26	83
CP7220/50HE	9.7	246	3.26	83
CP722/50HCVE	10	255	3.26	83
CP9534/CP9674	7.5	190	3.26	83
CP7263E	5.70	145	2.95	75
CP7263CVE	7.28	185	2.95	75
CP7264E	7.87	200	3.15	80
CP7264ECVE	9.45	240	3.15	80
CP7266E	6.10	155	2.75	70
CP7266CVE	7.67	195	2.75	70
CP7267E	7.28	185	3.94	100
CP7267CVE	8.85	225	3.94	100
CP7268	16.53	420	5.90	150

	L		H		A	
	in	mm	in	mm	in	mm
CP3650-...AC4SE	9.37	238	3.44	87.5	1.05	26.8
CP3650-...AAE	9.37	238	3.45	87.8	1.05	26.8
CP3650-...AB	9.37	238	3.65	92.8	1.05	26.8
CP3850-...AB	13.15	334	4.27	107	1.14	29
CP3850-...ABVE	13.15	334	4.09	104	1.14	29